## Ga naar de link: https://portal.azure.com/#home



← C	.com/#view/Microsoft_AAD_IAM/ActiveDirectoryMenuBlade/~/RegisteredApps	
■ Microsoft Azure	Search resources, services, and docs (G+/)	🧔 (
Home > Wisa byba		
🚃 Wisa bvba   App reg	gistrations 🖉 …	
× «	+ New registration 🌐 Endpoints 💥 Troubleshoot 🔘 Refresh 🞍 Download 🖾 Preview features 🛛 🔅 Got feedback?	
<ol> <li>Overview</li> </ol>		
Preview features	Starting June 30th, 2020 we will no longer add any new features to Azure Active Directory Authentication Library (ADAL) and Azure Active Directory Gra need to be upgeded to Microsoft Authentication Library (MSAL) and Microsoft Graph. Learn more	ph. We will continue to pro
X Diagnose and solve problems		
<ul> <li>Favorites</li> </ul>	All applications Owned applications Deleted applications	
> Manage		
> Monitoring		
> Troubleshooting + Support	1 applications found	
	Display name 1	Application (clie
	QuickStageLogin	c182cece-3871-
← C	om/#view/Microsoft AAD RegisteredApps/CreateApplicationBlade/guickStartType~/null/isMSAApp~/false	
= Microsoft Azure	Q Search resources envires and dors (G+A	Conilot
	<ul> <li>Scalen resources, services, and does (0+7)</li> </ul>	Copilot
Descister on explication		
Register an application		
* Name	tion (this can be channed later)	
Quickstage Login	v	
Supported account types		
Who can use this application or access this AD		
Accounts in this organizational directory of the second seco	zonly (Wisa byba only - Single tenant)	
<ul> <li>Accounts in any organizational directory (</li> </ul>	/ (Any Microsoft Entra ID tenant - Multitenant)	
Accounts in any organizational directory (	(Any Microsoft Entra ID tenant - Multitenant) and personal Microsoft accounts (e.g. Skype,	
Personal Microsoft accounts only		
Help me choose		
Help the choose		
Redirect URI (optional)		
We'll return the authentication response to thi	his URI after successfully authenticating the user. Providing this now is optional and it can be	
changed later, but a value is required for most	st authentication scenarios.	
Web 🗸 https	vs://auth.quickstage.be/microsoft-callback	
Register an app you're working on here. Integ	grate gallery apps and other apps from outside your organization by adding from Enterprise applications.	
By proceeding, you agree to the Microsoft Plat	atform Policies 🗗	
Register		

De naam mag eender welke naam zijn

Redirect URI = <u>https://auth.quickstage.be/microsoft-callback</u>

C 🗈 https://portal.azure.com/#view/Microsoft_AAD_RegisteredApps/ApplicationMenuBlade/~/Overview/quickStartType~/null/sourceType/Microsoft_AAD_IAM/appld/58e41037-1766-4035-a848-2ee023178963/obj 🗄						
	рана на селото на се До селото на	rch resources, services, and docs (G+/)	🐼 Copilot			
Home > Wisa bvba   App registrations >						
🔣 Quickstage Login 👒	>					
✓ Search	🗊 Delete 🜐 Endpoints 🐼 Preview features					
Overview	A Eccentials					
📣 Quickstart	Display pame	Client cro	dantials			
🚀 Integration assistant	Application (client) ID : 58e41037-1766-4035-a848-2ee023178963	Redirect U	IRIs : 1 web. 0 spa. 0 public client			
🗙 Diagnose and solve problems	Object ID : 28b8dd38-3ef4-47aa-a704-e1ed4bca992c	Applicatio	n ID URI : <u>Add an Application ID URI</u>			
$\checkmark$ Manage	Directory (tenant) ID : 8253c337-9be5-4788-b0a5-09757e9ee910	Managed	application in I : Quickstage Login			
🗮 Branding & properties	Supported account types : My organization only					
Authentication	•					
📍 Certificates & secrets	Welcome to the new and improved App registrations. Looking to learn how	it's changed from App registrations (Legacy)? <u>Learn more</u>				
Token configuration	A Starting lune 30th 2020 we will no longer add any new features to Azure Ar	tive Directory Authentication Library (ADAL) and Azure Active Directory Granh	We will continue to provide technical support and security unda			
API permissions	Applications will need to be upgraded to Microsoft Authentication Library (	VISAL) and Microsoft Graph. Learn more	we will continue to provide technical support and security upde			
🗠 Expose an API						
App roles	Get Started Documentation					
🎎 Owners	_					
🤱 Roles and administrators	E Contraction of the second seco	Suild your application with the Micro	osoft identity platform			
0 Manifest	The Microsoft identity platform is	an authentication service, open-source libraries, and application manage	ement tools. You can create modern, standards-based autho			
> Support + Troubleshooting		access and protect APIs, and add sign-in for your users ar	nd customers. Learn more			

## Kopieer de Application (client) ID en Directory (tenant) ID waarden

Q Zoeken Q Zoeken   Dashboard Antal decimalen bij evaluaties   Nieuwsberichten Inlevertermijn verslagen   Berichten Nieuw   Kilometervergoeding auto 0.3800
Dashboard ~   Dashboard Antal decimalen bij evaluaties   Dashboard 3   Nieuwsberichten Inlevertermijn verslagen   Berichten Nieuw >   Configuratie ~   Systeeminstellingen 0.3800
Lxtra velden   Standaard rechten   Administratie   Voorbereiding   Dossiers   Voorbereiding   <

Kopieer deze waarden naar de relevante velden in Quickstage

← C ⊡ https://po	ortal.azure.com/#view/Microsoft_AAD_RegisteredApps/ApplicationMenuBlade/~/Credentials/quickStartType~/null/sourceType/Microsoft_AAD_IAM/appld/StartType	8e41037-1766-4035-a848-2ee023178963/
	, P Search resources, services, and docs (G+/)	🕢 Copilot
Home > Wisa bvba   App reg	istrations > Quickstage Login	
🔶 Quickstage Lo	ogin   Certificates & secrets 👒 \cdots	
•		
₽ Search	◇ « A Got feedback?	
Noverview		17770
44 Quickstart	scheme). For a higher level of assurance, we recommend using a certificate (instead of a client secret) as a credential.	ng an HTTPS
Integration assistant		
X Diagnose and solve problem	ns 1 Application registration certificates, secrets and federated credentials can be found in the tabs below.	×
<ul> <li>Manage</li> <li>Dranding &amp; proportion</li> </ul>		
Authontication	Certificates (0) Client secrets (0) Federated credentials (0)	
Certificates & secrets	A secret string that the application uses to prove its identity when requesting a token. Also can be referred to as application password.	
Token configuration		
<ul> <li>API permissions</li> </ul>	+ New client secret	
Expose an API	Description Expires Value () Secret ID	
App roles	No client secrets have been created for this application.	
🎎 Owners		
and administrator	2	
0 Manifest		
> Support + Troubleshooting		
← C	om/#view/Microsoft_AAD_KegisteredApps/ApplicationMenublade/~/Credentials/quickStartType~/null/sourceType/Microsoft_AAD_IAM/appld/58e41057-176b-4055-a848-Zee0251789b3/o 💾 🕬 A	🔌 🏠 🛛 🛟 🔤 🖍 🖓 🖓 🖓 🖓 👘 🎲
← C (⊡ https://portal.azure.c	om/#view/Microsoft_AAU_kegisteredapps/ApplicationMenuslade/-/Lreentiask/guiscisart/spe-cnul/source/spe/Microsoft_AAU_IAW/appl/goet/us/-116-403-3436-zee0/2316365/c. 🕁 🗠 A	☆ ③ ↓ ☆ Güncelleştir ‰ … ↓
C      https://portalazure.c     Microsoft Azure     Home > Wisa bvba   App registrations >	Quickstage Login     Cuickstage Login	L C Concelleștir Sc … C
C     Attps://portalazure.c     Microsoft Azure Home > Wisa byba   App registrations >     Quickstage Login   0	Control week Microsoft CAQ_Kegistered Apply Application Menubade/-/Creatential (ducks and type-Indu/source type/Microsoft OAU)_IAV) Apply apply adds -	☆     3     ¢ Gonceleştir % )     ···< Ø
<ul> <li>← C          <ul> <li>https://portalazure.c</li> <li>Microsoft Azure</li> </ul> </li> <li>Home &gt; Wisa bvba   App registrations &gt;         <ul> <li>Quickstage Login   C</li> <li>P Search</li></ul></li></ul>	Om Prevery.Microsoft_AAD_kegisteredapps/ApplicationMenubade/-/Licedentias/quickstart type-/null/source type/Microsoft_AAD_LANG_abed-2ee0/23178953/cm.       Image: Control of the control of th	
C     O     https://portalazure.c     Microsoft Azure Home > Wisa byba   App registrations >     O     Quickstage Login   C     Search     Overview     Overview	Om Prevery Microsoft, AAD_kegistered Apps/ApplicationMenubade/-/Credential/ducostart/ype-/nul/source type/Microsoft, AAD_Avg/appl/sole103/1109-AU05-adad-2ee0/211095-20       Image: Control of the control	Concellegin      C
C      https://portalazure.c     Microsoft Azure     Home > Wisa byba   App registrations >     Quickstage Login   C      Search	Om Wheek Microsoft, AAD_kegistered Apps/ApplicationMenubade/-/Credential/duckstart type-/nul/source type/Microsoft, AAD_JAAD_JADPI/solet103/1709-53/cm.	Image: Concelleging in the concencelleging in the concelleging in the concelleging in the
C     C     Attps://portalazure.c     Microsoft Azure      More > Wisa bvba   App registrations >      Quickstage Login   C      Search     Overview     Cuickstart     Integration assistant     X Diagnose and solve problems	Output       Implication registrated applications to identify themselves to the authentication service when receiving tokens at a web addressable location (using an HTTPS scheme). For a higher level of assurance, we recommend using a certificate (antead of a client secret) as a credential.       Add a client secret         Implication registration certificates, secrets and federated orderminits can be found in the tabs below.       X	Image: Concellegiting Concellegiti
C     C     Microsoft Azure      Microsoft Azure      More > Wisa byba   App registrations >      Quickstage Login   C      Search     o «      Overview     Quickstart     Microsoft assistant     X biagnose and solve problems     Marage     Branding & properties	OWN WHEN MICROSOFT (AD_) registrered apps/Application Menubade/-/Createntials/duiceStart type-/nui/source type/Microsoft (Ad_) appl/soled 103/100-50400/100-5040/100-50400/100-50400/100-5040/	Concellegtin
<ul> <li>Microsoft Azure</li> <li>Microsoft Azure</li> <li>Home &gt; Wisa byba   App registrations &gt;</li> <li>Quickstage Login   C</li> <li>Search • • • • • • • • • • • • • • •</li> <li>Overview</li> <li>Quickstat</li> <li>Integration assistant</li> <li>Diagose and solve problems</li> <li>Manage</li> <li>Branding &amp; properties</li> <li>Authentication</li> </ul>	Outcome       Search resources, services, and docs (G+/)       Image: Complexity of the secret services, and docs (G+/)       Image: Complexity of the secret services, and docs (G+/)         Couldstage Login       Image: Complexity of the secret services, and docs (G+/)       Image: Complexity of the secret services, and docs (G+/)       Image: Complexity of the secret services, and docs (G+/)       Image: Complexity of the secret services, and docs (G+/)       Image: Complexity of the secret services, and docs (G+/)       Image: Complexity of the secret services, and docs (G+/)       Image: Complexity of the secret services, and docs (G+/)       Image: Complexity of the secret services, and docs (G+/)       Image: Complexity of the secret services, and docs (G+/)       Image: Complexity of the secret services, and docs (G+/)       Image: Complexity of the secret services, and docs (G+/)       Image: Complexity of the secret services, and docs (G+/)       Image: Complexity of the secret services, and docs (G+/)       Image: Complexity of the secret services, and docs (G+/)       Image: Complexity of the secret services, and docs (G+/)       Image: Complexity of the secret services, and docs (G+/)       Image: Complexity of the secret services, and docs (G+/)       Image: Complexity of the secret services, and secret services, and secret secret services, and federated credentials complexity of the secret services, and federated credentials (0)       Image: Complexity of the secret services, and federated credentials (0)       Image: Complexity of the secret services, and federated credentials (0)       Image: Complexity of the secret services, and federated credentials (0)       Image: Complexity of the secret services, and federated c	Concelleptin
C      Microsoft Azure      Microsoft Azure      Microsoft Azure      More > Wisa byba   App registrations >      Quickstage Login   C      Search     O      Control      O     Control     O     Control     Contro     Control     Control     Control     Contro     Control	Contribution registration certificates, secrets on     Performance   <	Image: Concellegiting Concellegiti
<ul> <li>Microsoft Azure</li> <li>Microsoft Azure</li> <li>Home &gt; Wisa bxba   App registrations &gt;</li> <li>Quickstage Login   (</li> <li>P Search • • • • • • • • •</li> <li>Quickstaft</li> <li>Integration assistant</li> <li>Diagnose and solve problems</li> <li>Manage</li> <li>Branding &amp; properties</li> <li>Authentication</li> <li>Certificates &amp; secrets</li> <li>Ill Token configuration</li> <li>API permissions</li> </ul>	Certificates (0) Celentificates, secrets on federated credentials can be found in the tabs below.     Certificates (0) Celentificates (0)   Federated credentials can be found in the tabs below.	Image: Concellegiting Concellegiti
<ul> <li>Microsoft Azure</li> <li>Microsoft Azure</li> <li>Home &gt; Wisa byba   App registrations &gt;</li> <li>Quickstage Login   Q</li> <li>Search • • • • • • • • • • • • • • • • • • •</li></ul>	commentering based of the second control of the supplication mean usage / - (Credentials (quicks tart type - / null/source type / microsoft, AAO, JAAO, JAAO	Image: Concellegiting Concellegiti
C      Microsoft Azure      Microsoft Azure      Microsoft Azure      Mores      Microsoft Azure      Microsoft Azure      Mores      Microsoft Azure      Microsoft Azure      Mores      Microsoft Azure      Micros	commentation Search resources, services, and docs (G+/)     Coldicitates Login     Certificates & secrets     Credentials enable confidential applications to identify themselves to the authentication service when receiving tokens at a web addressable location (using an HTTPS scheme). For a higher level of assurance, we recommend using a certificate (instead of a client secret)     Certificates (0)   Client secrets (0)   Federated credentials (0)   A secret string that the application uses to prove its identify when requesting a token. Also can be referred to as application password.   +   No client secrets   Description   Secret ID	Image: Concellegiting Concellegiti
<ul> <li>Microsoft Azure</li> <li>Microsoft Azure</li> <li>Home &gt; Wisa byba   App registrations &gt;</li> <li>Quickstage Login   Q</li> <li>Search • • • • • • • • • • • • • • • • • • •</li></ul>	Implement/Microsoft_Add_segstereed.ppps/Application/Menubalady_/Createntials/quices/art type_/microsoft_Add_spape/posed tubs/r to e-dubs/adds-zeeu/21 resource.   Implement/Microsoft_Add_segstereed.pps/Application/Menubalady_/Createntials/quices/art type_/microsoft_Add_spape/posed tubs/r to e-dubs/adds-zeeu/21 resource.   Implement/Microsoft_Add_segstereed.pps/Application/Menubalady_/Createntials/quices/art type_/microsoft_Add_spape/posed tubs/r to e-dubs/adds-zeeu/21 resource.   Implement/Microsoft_Add_segstereed.pps/Application/Menubalady_/Createntials/quices/art type_/microsoft_Add_spape/posed tubs/r   Implement/Microsoft_Add_segstereed.pps/Application/Menubalady_/Menu	Image: Concellegiting Concellegiti
C      Attps://portalazure.c      Microsoft Azure      Microsoft Azure      Microsoft Azure      Microsoft Azure      More > Wisa byba   App registrations >      Quickstatge Login   G      P Search     0 《      Control Control Control Control Control Control      Control Control Control Control Control      Cartificates & secrets      Internation     P Certificates & secrets      Internation     Authentication     Authentication     Authentication     App prelise     App roles     Conners     Analyse     Manifest     Support + Troubleshooting	Implement/Microsoft_Add_segstereed.ppps/Application/Meturbalad/_/Createntials/quicks/art type_/nui/gource type/Microsoft_Add_Add_add_add_sedeed.psder/Add_add_add_add_add_sedeed.psder/Add_add_add_add_add_add_add_add_add_add_	Image: Concellegiting Concellegiti
<ul> <li>Microsoft Azure</li> <li>Microsoft Azure</li> <li>Microsoft Azure</li> <li>Home &gt; Wisa byba   App registrations &gt;</li> <li>Quickstage Login   (</li> <li>P search • • • • • • • • • • • • • • • • • • •</li></ul>	Implement/Microsoft_UAdlegistretedappip/Application/Meturbaside/_Uceenflaid/guices/art typenuit/source (services, and docs (G+n)   Implement/Microsoft_UAdlegistretedappip/Application/Meturbaside/_Uceenflaid/guices/art typenuit/source   Implement/Microsoft_UAdlegistretedappip/Application/Meturbaside/_Uceenflaid/guices/art typenuit/source   Implement/Microsoft_UAdlegistretedappip/Application/Microsoft_UAd_Undegistedappip/Application/Microsoft_UAd_Undegistedappip/Application/Microsoft_UAd_Undegistedappip/Application/Microsoft_UAd_Undegistedappip/Application/Microsoft_UAd_Undegistedappip/Application/Microsoft_UAd_Undegistedappip/Application/Microsoft_UAd_Undegistedappip/Application/Microsoft_UAd_Undegistedappip/Application/Microsoft_UAd_Undegistedappip/Applicatio	Image: Concellegiting Concellegiti
<ul> <li>Microsoft Azure</li> <li>Microsoft Azure</li> <li>Microsoft Azure</li> <li>Home &gt; Wisa byba   App registrations &gt;</li> <li>Quickstage Login   Q</li> <li>Search • • • • • • • • • • • • • • • • • • •</li></ul>	Add a client secret   Certificates (0)	Image: Concellegiting in the conc
<ul> <li>Microsoft Azure</li> <li>Microsoft Azure</li> <li>Microsoft Azure</li> <li>Home &gt; Wisa byba   App registrations &gt;</li> <li>Quickstage Login   Q</li> <li>Search • • • • • • • • • • • • • • • • • • •</li></ul>	And the explore in the e	Image: Concellegiting Con
<ul> <li>Microsoft Azure</li> <li>Microsoft Azure</li> <li>Microsoft Azure</li> <li>Home &gt; Wisa byba   App registrations &gt;</li> <li>Quickstage Login   Q</li> <li>Search • • • • • • • • • • • • • • • • • • •</li></ul>	And index decides (and, back by particulation metalual duplices furting between constraints, generation of the second of the secon	Image: Concellegiting Con
<ul> <li>Microsoft Azure</li> <li>Microsoft Azure</li> <li>Microsoft Azure</li> <li>Home &gt; Wisa byba   App registrations &gt;</li> <li>Quickstage Login   (</li> <li>P search • • • • • • • • • • • • • • • • • • •</li></ul>	Implementation	Image: Concellegiting Con
<ul> <li>Microsoft Azure</li> <li>Microsoft Azure</li> <li>Home &gt; Wisa byba   App registrations &gt;</li> <li>Quickstage Login   Q</li> <li>Search • • • • • • • • • • • • • • • • • • •</li></ul>	Implementation confidential application methods and or for the subscription	Image: Concellegiting Concellegitin

			𝒫 Search resources, s	services, and docs (G+/)	🤣 Copilot
Home > Wisa bvba   App registrations >	Quickstage Login				
🔶 Quickstage Login   🤇	Certificates & secrets	\$			
	& Got feedback?				
Sverview					
📣 Quickstart	Got a second to give us some feed	$ back? \rightarrow$			×
<ul> <li>Integration assistant</li> <li>Diagnose and solve problems</li> <li>Manage</li> </ul>	Credentials enable confidential applicat scheme). For a higher level of assurance	tions to identify themselves to e, we recommend using a certi	the authentication service ficate (instead of a client s	when receiving tokens at a web addressable location (using an HT ecret) as a credential.	"PS
<ul> <li>Branding &amp; properties</li> <li>Authentication</li> </ul>	Application registration certificates	s, secrets and federated credentia	ls can be found in the tabs b	below.	×
Certificates & secrets  Token configuration  API permissions  Expose an API  App roles	Certificates (0) Client secrets (1) A secret string that the application use + New client secret	) Federated credentials (C	)) equesting a token. Also car	n be referred to as application password.	
A Owners	Description	Expires	Value ()	Copy to clipboard et ID	- <del>-</del>
<ul> <li>A Roles and administrators</li> <li>Manifest</li> <li>Support + Troubleshooting</li> </ul>	test	1/20/2027	GFH8Q~V5QALk05-Pr	2 <u>ZITeTVgOBhn-</u> IXR I <u>D</u> 81913258-a2d1-4b0f-9888-cb462acd02	;5 📭 🔳

## Kopieer bovenstaande

Wanneer dit wordt bewaard, zal de Microsoft aanmeldknop verschijnen en kan er vanaf nu worden aangemeld met het Microsoft account.